


Case 09-14814-qwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 1 of 25







DISCLAIMEN NOTE IMINARY ISSUE FOR I

before you before your Overhead

FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF TAX DOOR

TAX DOO CHOTECHNICAL NOTE:
ALL CONSTRUCTION SML. CONSTRUCTION SML. CONSTRUCTION SML. CONSTRUCTION SML. SOLIS REPORT PROPERTY TO SML. T PESCAPINON: ALUK CAP 2" DIA, SET IN CONC. 85 FT. NORTHEAST OF HE SALIN 1/4 CORNER OF SEC. 35. T. 21 M., RIA M. AND THE VERMENTION OF SHIMARUMP DR. AND HOPE RD., STAMPED "SO 34 1959 ILS 10343."

recent dottage "cost" – the west une of the cubinness quarters (MH 1/4) of esciolog of, towning-log outcome of the cubinness of the statement of the second of the cubinness of the second BENCHMARK BEICHMARK # "SD 34" M.C.S.D. ELEYATION - 2580.24273 IFT (NAVD '88) M.C.S.D. "SD 32" = LATITUDE 35°09'22.70034"N, LONGITUDE 114°09'21.57240"W (NAD '83) HEIBHT 2582.46391H (NAVO'88)

BASIS OF BEARINGS



CHEC





SHEET
PP2
46 OF 69 SHEETS
SCI PROJECT#
18476 RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH AREA 3 B DRIVE - PLAN AND PROFILE





E D3-10-06	REV. MS	DIRECEPTION	DRAWN BY	APPROVIAL.	DATE	
T D7 40 00	ll .					(1970)
CKED BY SH\DB	_					100
WN BY GA	<u> </u>					
LE (V) 1" = 4"						
LE (H) 1"= 40"						Regis

- CENTERLINE FINISHED GRADE ELEVATION = FLOWUNE ELEVATION

= EXISTING GRADE = FUTURE GRADE

Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 3 of 25





CONSTRUCTION NOTES:

(1) SIDEWALK ACCESS RAMP TYPE 'D' PER M.A.G. STANDARD DETAIL NO. 234 GRAPHIC SCALE

FOR CONSTRUCTION 03-10-06

DISCLAIMEN NOTE before you before you Overhead 1-928-753-5991

FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANNE STELLES SELECTED TO RESIDENCE OF THE

STELLES SELECTED THE CONTROL OF THE

STELLES THE AREA OF THE CONTROL STELLES

FLAIR TOPS SOULIMENT (LOCATIONS.) QEOTECHNICAL NOTE:
ALL CONSTRUCTION SMLL CONTOON MITH THE
SOUL REPORT PERSPARED BY MERICAN SOLIS
REPORT PERSPARED OF
MITTER 12 SEPTIMBER 05
PROJECT No. 1080-660

BENCHMARK BENCHMARK # "50 34" M.C.S.D. BELEYANDYI= 2580.24273 IFT (NAVO '88) ESCRIPTION: ALUM CAP 2" DIA, SET IN COVIC 85 FT, NORTHEAST OF ITE SOUTH 1/4 DORNIER OF SET, 33, T, 21 H, P.18 W, AND THE TERRECTION OF SHINARUMP DR. AND HOPE RD., STAMPED "50 34 1999 IS 10343."

INCRIT MOTIVAT CUIT — THE MET THE OF THE METHERST BLADITE (MR. 1/A) OF ECTION ACT INMIDIES DO MOTH, PARKET IN MET, OLA A METHER METHERS AND A METHER METHER METHERS AND A METHER METHERS OF THE METHERS AND CORDINATE SEPTEMA OF THE METHERS AND A METHERS AND A METHERS AND A METHERS AND A METHER METHERS AND A METHER METHERS AND A METHERS AND A METHER METHERS AND A METHERS AND A METHERS AND A METHERS AND A METHER METHERS AND A METHER METHERS AND A METHER METHERS AND A METHERS AND A METHER METHERS AND A METHERS AND A METHERS AND A METHERS AND A METHER METHERS AND A METHER METHERS AND A METHERS AND A METHERS AND A METHER METHERS AND A METHERS AND A METHER METH STIDNE 1/4 CDR 3/2 = LATITUDE 35°06'55.53385"N, LONGITUDE 114°10'30.72281"N (NAD '63') HEIBHT 248X.204688R (NAND'88) M.C.S.D. SD 32" -LATTUDE 35'09'22.70034'N, LONGITUDE 114'09'21.57240'N (NAD '83) HEIGHT 2582.463911ft (NAV0'88)

BASIS OF BEARINGS

ECCEND

DESTING OR.

FIGURE 1. FILLING OR.

FILLING OR. ########### - SUBDIMSION,PHASE BOUNDRY - EDGE OF PAVEMENT - CURB & GUTTER = DRAINAGE EASEMENT = PUBLIC UTILITY EASEMENT = PEDESTRIAN ACCESS EASEMENT = COMMON ELEMENT = S/W RAMP 5 FT TRANSITION ("L" CURB)



SHEET

PP3

47 OF 69 SHEETS

SCI PROJECT#

18478 RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH

AREA 3 B DRIVE/9TH STREET - PLAN AND PROFILE



	SCALE
nue, Suite 200 19119 : (702) 369–9793	SCALE
(102) 309-9193	DRAW
tc	CHECK
ILO INC.	

RIL 03-10-00	MECA NEZ	DESCRIPTION	CRAWN BY	APPROXISE	DATE	
TE D3-10-06						
HECKED BY SH\DB	_					
RAWN BY GA	\vdash					
						(2/18° ± 3/15)
ALE (V) 1" = 4"						
CALE (H) 1"= 40"						Regist

Q1/1887E_1790eng/Gino Pilace+HEU97-che__39/2006 7-37957 AV, Cheffort Withs

STATION 30+00.00 FOR CONTINUATION SEE SHEET PP3 .2579.3 2577.97 48" SSMH 421 STA 30+1311 RIM 2578.2± INV IN 2571.18 INV OUT 2570.98 -8° PVC SS (2580.0) 2578.76 (2580.5) 2579.54 (2581.0) 2580.33 (2582.0) 1.58% B" PVC SS (2582.4) 2581.91 CISTING GROUN (2563.1) 24" MIN. ₹ 48" SSMH #22 STA 33+3608 RIM 2563.34 RV IN 2576.31 INV IN 2578.31 INV OUT 2578.11 (2584.2) = 2583.48 = AT CENTERUN STA: 33+81.84 TC 2563.94 34-00 91H S1 (2584.5) 73 (2585.2) (2586.1) 2585.84 (2585.8) (2586.9) 2587.42 CONBTRUCTION NOTES:

(1) SIDEWALK ACCESS RAMP TYPE 'D' PER M.A.G. STANDARD DETAL NO. 234 48" SSMH #23 STA 36+37.56 RBM 2588.0± (2588.0) 2586.21 88.99 FG (2588.7) 2588.09 (IN FEET)
1 tash = 40 ft. GRAPHIC SCALE INORTH MOTIVATE EAST — THE WEST LIFE OF THE MORTHWEST QUARTER (1991 / 14) OF SECTION QU. TOMBERS FOR DIRECTION, AND GREEN, FAMELY AS DISTRIBUTED BY THE AREZONA, AND GREEN AND SECTION AS DISTRIBUTED BY THE AREZONA, COCROMINATE SYSTEM OF 1885 (2625—81), SHEET 2048.

PROCESSED BY 1089—6745. DESCRIPTION: ALUM CAP 2" DIA. SET IN CONC. 85 FT. NORTHEAST OF HAS SOUTH 1/4 DORNER OF SEC. 35, T. 21 N., R.18 W. AND THE INTERSECTION OF SHINARUMP DR. AND HOPE RD., STAMPED "SD 34 1899 RLS 10343." BENCHMARK BENCHMARK ₹ 'SD 34" N.C.S.D. BENCHMARK ₹ 'SD 34" N.C.S.D. BENCHMARK ₹ 'SD 34" N.C.S.D. STONE 1/4 COR 3/2 = A.C.S.D. SD 32" -₹ 4 DISCLANIEN NOTE

INTY LOSTROMS SHOWN

INTY LOSTROMS SHOWN

INTY LOSTROMS THE IN INTY LOSTROMS

INTO A THE INTER IN INTY LOSTROMS

LOSTROM FOR INTER INTER

LOSTROMS INTERIOR TO LOSTROMS

LOSTROMS LOSTROMS

LOSTROMS LOSTROMS

LOSTROMS LOSTROMS

LOSTROMS LOSTROMS

INTERIOR LOSTROMS FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANNE STELLES SELECTED TO RESIDENCE OF THE

STELLES SELECTED THE CONTROL OF THE


STELLES THE AREA OF THE CONTROL STELLES


FLAIR TOPS SOULIMENT (LOCATIONS.) CHOTECHNICAL NOTE:
AL CONTRICTION MITH THE
SOLS REDWY NEWFACED BY MERICALI SOLS
PROJECT NO. 12 SEPTIMERY 05
PROJECT NO. 1080-850 IMINARY ISSUE FOR I LATITUDE 35"06"55.5.3385"N, LONGITUDE 114"0"30.72281"W (NAD '63) HEIBHT 2498.20458fff (NAVO'86) - CONTEN LINE


- CONTEN LINE LATITUDE 35'09'22,70034"N, LONGITUDE 114'09'21,57240"W (14AD '83) HEIGHT 2562,46391ff (14AVD'8B) = EDGE OF PAYEMENT = EXISTING GRADE = CURB & GUTTER DRAHAGE EASEMENT
 PUBLIC UTILITY EASEMENT
 PEDESTRIAH ACCESS EASEMENT
 COMMON ELEMENT - CENTERLINE FINISHED GRADE ELEVATION FLOWUNE ELEVATION TOP OF CURB ELEVATION ("L" CURS TO "ROLL" CURS) before you before you Overhead 1-928-753-5991 SHEET SHEETS SEPARATE STATE ST RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH SCALE (H) 1"= 40" 5820 S. Ezetern Avenue, Suite 200 Los Vegos, Nevodo 89119 (702) 369–9398 Fox (702) 369–9793 www.stonieworous.com SCALE (V) 1" = 4" 42874 STEVEN A HAGEL DRAWN BY GA AREA 3 9 STREET - PLAN AND PROFILE Stanley Consultants INC. CHECKED BY SH\DB

CHIEFE DISCHARGE DATE DATE OF THE COURT THE SECOND CONTRACT OF THE SECOND CONTRACT OF THE COURT THE SECOND CONTRACT OF THE COURT THE SECOND CONTRACT OF THE SECOND CONTRA

Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 5 of 25







CONSTRUCTION NOTES:

1) SIDEWALK ACCESS RAMP TYPE TO PER MAJE, STANDARD DET

DBCLAMMI NOTE

INTELLIGIBLE STORE

INTELLIGIBL

A. CRETTECHNICAL NOTE:

A. CRETTECHNICAL LACTION MY IN IX
SOLIS STORT PREVIOUS DE MASSIONI SOLIS
STORT PREVIOUS DE MASSIONI SOLIS
STORT PREVIOUS DE MASSIONI SOLIS
FEMAL PLOCATION DE MASSIONI SOLIS
AND RESULTA LACTION DE MASSIONI SOLIS
AND RESULTA LA SECULTA LACTION MASSIONI
AND RESULTA LACTION
AND R

BECHAMINE, 4"53 SM MCCSD.

BECHAMINE, 4"53 SM MCCSD.

BECHAMINE - 2500-247 SF (10,40) WB)

BECHAMINE, 4,100 COP 2" BL., 35T IN CONC. BS FT, NORTHEAST DF

BECHAMINE, 4,100 COP 2" BL., 35T IN CONC. BS FT, NORTHEAST DF

BECHAMINE, 4"500 COP 2" BL., 35T IN CONC. BS FT, NORTHEAST DF

BECHAMINE, 4"500 COP 2" BL., 35T IN CONC.


BECHAMINE, 4"500 COP 3" BL., 4" BL., 4"500 COP 3" BL., 4" BL., 4"

(MEM BOTTAN DEST - THE KERT UNES O'THE CHRIMEST QUARTER
(MEM MASS O'TH MEM MASS O'TH MEM CONTROL OF MEMORY DAVING, MASS O'TH MEM COLL.

(MEM MASS O'TH MEMORY DAVING, MASS

BASIS OF BEARINGS

= Exemine Controls 7.3 = Lice A water - SIP THANKET PAUL* CARS) - CLES A UTIES - CARS A UTIES - DAMAGE EXEMENT - PAUL - DAMAGE EXEMENT - PAUL - PRODUCTION ACCUSS CAROUTT - PAUL - COMMON LEDRIT - CL - COMMON LEDRIT	33	P.A.E	P.U.E.	3.c	P		1	世	is.	73	أفرر ر
	- COMMON ELEMENT	= PEDESTRIAN ACCESS EASEMENT	= PUBLIC UTILITY EASEMENT	- DRAINAGE EASEMENT	= S/W RAMP	= CURB & GUTTER	- 5 FT TRANSITION ("L" CURB TO "ROLL" CURB)	- SUBDIMSION/PHASE BOUNDRY	= EDGE OF PAVEMENT	- LOT NUMBER	= EXISTING CONTOUR



RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH

SS PROMET IN STATE OF THE STATE OF T



TE D3-10-06	PREV. MAX	DESCRIPTION	CHAMP BY	#PRINCES	DATE .	
ECKED BY SH\DB						
AWN BY GA						HAGE TO ANALON OF THE PROPERTY
ALE (V) 1" = 4'						9.911
ALE (H) 1"= 40"						Region

= FLOWLINE ELEVATION
= CENTERLINE FINISHED DRADE ELEVATION
= TOP OF CURB ELEVATION

= RATE & DRECTION OF SLOPE

- STANDWIN AT BOC (GLIDESAC)

- PROPRETY UNE


- ROBIT OF WAY


- EASEMST UNE

- CENTER UNE

- CENTER UNE

Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 6 of 25





IMINARY ISSUE FOR I

before you before your Overhead

FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANNE STELLES SELECTED TO RESIDENCE OF THE

STELLES SELECTED THE CONTROL OF THE

STELLES THE AREA OF THE CONTROL STELLES

FLAIR TOPS SOULIMENT (LOCATIONS.) GEOTECHNICAL NOTE:
ALL CRISTRUTION SHALL CONFORM WITH THE SOILS REPORT PERPARED BY MERICAL SOILS PROJECT Not. 1040—650
PROJECT Not. 1040—650

(MORTH MOTIVA)* EAST – THE MEST UNE OF THE MORTHMEST DUANTER (MY 1/4) OF SECTION OF, TOWNING THE OF DIMENT, RANGE ES MEST, CHAR MEDIDAN, MORANG COMETY, AREQUEA, AS DETERMED BY THE MEDIDAN COMMANDER SECTION OF 1885 (TOWNING AND COMMANDER FOR TOWNING AND COMMANDER FOR TOWNING AND COMMANDER FOR TOWNING AND COMMANDER FOR THE OFFICE OF THE OFFICE O BENCHMARK BENCHMARK # "50 34" M.C.S.D. ELEVANOVI 2590.24273 IFT (NAVD '88) designamon: Alum Cap 2° da., set ini conc. 85 ft. hdriheast de He south 1/4 correr of sec. 35, T. 21 ft., r.18 ft. and the Herschool of Shimarum dr. and hope rd., stamped "so 34 1989 N.5 10243." STONE 1/4 COR 3/2 -M.C.S.D. "SO 32" = LATITUDE 35'09'22, 70034'14, LONGITUDE 114'09'21.57240"W (14AD '83) HEIGHT 2562.4639'Iff (NAVO'68)

BASIS OF BEARINGS

= PROPERTY UNE
- RIGHT OF WAY
= EASEMENT UNE
- GRADE BREAK
- GRADE CONTER UNE - LOT NUMBER - EDGE OF PAVEMENT - CURB & GUTTER = DRAINAGE EASEMENT = PUBLIC UTILITY EASEMENT = PEDESTRIAN ACCESS EASEMENT = COMMON ELEMENT = S/W RAMP 5 FT TRANSITION ("L" CURB TO "ROLL" CURB)

CONSTRUCTION NOTES:

(1) SUBMULX ACCESS RAMP TYPE 'D' PER M.A.G. I

SCALE: HORIZONTAL 1" = 40'
VERTICAL 1" = 4'





SHEET PP6 RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH AREA 3 8th STREET - PLAN AND PROFILE

DISCLAIMEN NOTE


5820 S. Ezetarn Avenue, Suita 200 Les Vegas, Neveda 89119 (702) 369-9838 Fero (702) 369-9793 Stanley Consultants INC.


SCALE (V) 1" = 4' DRAWN BY GA						HAGEL HAGEL
CHECKED BY SH\DB	<u> </u>					I TO THE STATE OF
DATE D3-10-06	MEV. MAX	пани	CRAWN BY	APPROXIMA.	DATE	

- RATE & DIRECTION OF SLOPE

STATIONING AT BOC (CULDESAC)

= CENTERLINE FINISHED GRADE ELEVATION





42874 STEVEN A HAGEL

DIBCL AIMEN NOTE

INTUTY LEXTROIS SHOWN

INTUTY LEXTROIS SHOWN

INTUTY LEXTROIS SHOWN

INTUTY LEXTROIS

INTU IMINARY ISSUE FOR I before you Overhead 1-928-753-5991

FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANNE STELLES SELECTED TO RESIDENCE OF THE

STELLES SELECTED THE CONTROL OF THE

STELLES THE AREA OF THE CONTROL STELLES

FLAIR TOPS SOULIMENT (LOCATIONS.) before you

CHOTECHNICAL NOTE:
ALL CONSTRUCTION SML. CONSTRUCTION SML. CONSTRUCTION SML. CONSTRUCTION SML. SOLIS REPORT PROPERTY TO SML. T

DESCRIPTION: ALUM CAP 2" DIA., SET IN CONC. 85 FT. NORTHEAST OF THE SOUTH 1/4 CORNIER OF SEC. 35, T. 27 IL, R.18 W. AUD THE INTERSECTION OF SHIMARUMP DR. AND HOPE RD., STAMPED "SD 34 1899 RLS 10243." BENCHMARK BEICHMARK # "50 34" M.C.S.D. ELEVATION— 2590.24273 IFT (NAVD "86)

MORTH DOTATIST EAST — THE WEST LINE OF THE (1991 1/4) OF SECTION OF CHORNING 20. TOWNSHIP 20 HORTH, 15 SALT EARLE MERDIDAN, MOHAKE COCANTY, ARZONA COMODINATE SYSTEM OF 1984S (AZESS-WARZONA COMODINATE SYSTEM OF 1984S) AND STATEMENT OF 1984 (AZESS-WARZONA COMODINATE SYSTEM) UNICENSED BY 1085—OPUS. TIDNE 1/4 CDR 3/2 = A.C.S.D. SD 32" =

BASIS OF BEARINGS

= PUBLIC UTILIT = PEDESTRIAN / = COMMON ELEI = S/W RAMP = 5 FT TRANS



C. 85 FT, NORTHEAST OF	5.3385"H, 90.72281"W ((LAD '63) 3H ((LAYD'66)	70034"H. 21.57246"W (NAD '83) IH. (NAVO'88)	THE NORTHWEST QUARTER HIL RANCE IS WEST, GILA & OIA, AS DETERMINED BY THE H-WIS, WEST ZOUR, KAIL OBSERVATIONS	ASEMENT TY EASEMENT ACCESS EASEMENT	TIER	O "ROLL" CURB)	PHASE BOUNDRY	2	ATTOUR .	·* £	素を言	AT BOC (CULDESAG)	CTION OF SLOPE	RNISHED GRADE ELEVATION	DE EVATIGN	2 6	ā		•	
_					SCALE (H)	1"= 4	10"			T)[
-		5	5820 S. Enstern Las Vegas Neva (702) 369-9398	Avenue, Suite 200 xlo 89119 8 Fax (702) 369–9793	SCALE (V)	1" =	4'		_	-										1

CONSTRUCTION NOTES

(1) SIDEWAY ACCESS RAMP TYPE "0" PER M.A.B. STANDARD DETAIL HG. 234




AREA 3 7th STREET - PLAN AND PROFILE


RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH




S. Eastern Avenue, Suite 200 egas, Nevada 89119 369-9396 Fax (702) 369-9793	SCALE (V) 1" = 4"					
tanieygraup.com	DRAWN BY GA					
ltants	CHECKED BY SH\DB					
ILAITO INC.	DATE D3-10-06					

Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 8 of 25







DISCLAIMEN NOTE IMINARY ISSUE FOR I before you before your Overhead

FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANNE STELLES SELECTED TO RESIDENCE OF THE

STELLES SELECTED THE CONTROL OF THE


STELLES THE AREA OF THE CONTROL STELLES

FLAIR TOPS SOULIMENT (LOCATIONS.)

designemon: Alim Cap 2° Dia., set in conc. B5 ft. northeast of the south 1/4 ocrible of sec. 35, t. 21 hi, r.18 m, and the intersection of shimrimp dr. and hore rd., stamped "so 34 1989 RLS 10343" ветонили: # "SO 34" M.C.S.O. ELEVATION= 2590.24273 IFT (NAVD "88) CHOTECHNICAL NOTE:
ALL CONSTRUCTION SML. CONSTRUCTION SML. CONSTRUCTION SML. CONSTRUCTION SML. SOLIS REPORT PROPERTY TO SML. T

INERHI MOTTAN EAST — THE MEST LIFE OF THE MORTHMEST QUARTER (1981-14) OF SCENDING, TOWNSHEE ON DIRTHE, RAMES IS MEST GALE, SALT BREEN MESTIONAL, MOMANG COMMEN, AMERICAN, AS DETEMBLED BY THE MEZONAL COMPRIANT, SETTEM OF 1882 (AZEN-1964). SESTE 2004. FINDESSEED BY LIFE-ONLY. STONE 1/4 COR 3/2 -M.C.S.D. "SO 32" = LONCITUDE 114°09'22.70034"N. LONCITUDE 114°09'21.57240"N (NAD '83) HEIGHT 2562-46391IT (NAVO'88)

C.F.	PAE	PUE	D.E.	P		1	田市田 田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田	å	73							(STA: 10+04.89)	
- COMMON ELEMENT	= PEDESTRIAN ACCESS EASEMENT	= PUBLIC UTILITY EASEMENT	- DRAINAGE EASEMENT	= S/W RAMP	= CURB & GUTTER	- 5 FT TRANSTION ("L" CURB TO "ROLL" CURB)	- SUBDIMSION, PHASE BOUNDRY	= EDGE OF PAVEMENT	= LOT NUMBER	= EXISTING CONTOUR	= CENTER LINE	= GRADE BREAK	- EASENDYT LIKE	= RIGHT OF WAY	= PROPERTY LINE	- STATIONING AT BOC (CULDESAC)	




SHEET
PP8
52 OF 69 SHEETS
SCI PROJECT# RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH




	(IRV: NZ	DESCRIPTION	CHAMM BY	APPROVING	DATE ,	
ATE D3-10-06	REV. NO.	DESCRIPTION	CRAWN BY		DATE .	THE STATE OF THE S
HECKED BY SH\DB	_					
RAWN BY GA	_					HAGEL AND
CALE (V) 1" = 4'						2 2 2 2
CALE (H) 1"= 40"						Regis

= RATE & DIRECTION OF SLOPE TOP OF CURB ELEVATION CENTERLINE FINISHED GRADE ELEVATION

Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 9 of 25





DIBCLAIMEI NOIE

IMITAY LEXTRUS SHOWS

INCLUDED SHOWS

INCLUDE IMINARY ISSUE FOR I before you Overhead

before you

FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANNE STELLES SELECTED TO RESIDENCE OF THE

STELLES SELECTED THE CONTROL OF THE

STELLES THE AREA OF THE CONTROL STELLES

FLAIR TOPS SOULIMENT (LOCATIONS.) GEOTECHNICAL NOTE:
AL CRISTRUTIOS BALL COFFORM WITH THE SOILS REPORT PREPARED BY MERICALI SOILS PROFERING LICE THE TO A TELE 12 SEPTIMETER OF PROFETT No.: 1080—850

BENCHMARK BENCHMARK # "SD 34" M.C.S.D. BELEVANDY= 2590.24273 IFT (NAVD '88) SIGNIPTION: ALUM CAP 2" DIA., SET IN CONC. 85 FT. NORTHEAST OF E SOUTH 1/4 CORNER OF SEC. 35, T. 21 N., R.18 W. AND THE EXISCENDY OF SHINARUMP DR. AND HOPE RD., STAMPED "SD 34 1989 S 10343."

INGPH MOTIVAL FLOST — THE MEST LIFE OF THE INDPINESS QUARTER (1984 17-5) OF SECTION QU. TOMASHE PO MORTH, RANGE IS MEST, GLAST ENGLISH, MOUNANC COLAITY, ARZONA, AS DETERMINED BY THE ARZONA COORDINATE SYSTEM OF 1885 (2625—87) SHEST 2001. PROCESSED BY 1085—6745. STONE 1/4 COR 3/2 -M.C.S.D. "SD 32" -LATITUDE 35°08'55.53385"H, LONGITUDE 114'10'30.72281"W (NAD '83) HEIBHT 2498.29458HH (NANU'88)

- S/W RAMP = DRAINAGE EASEMENT = PUBLIC UTILITY EASEMENT - PEDESTRIAN ACCESS EASEMENT = COMMON ELEMENT

########### = SUBDIVISION/PHASE BOUNDRY RATE & DRECTION OF SLOPE

STATUSHING AT BOC (OLLDESNO)

PROPERTY LINE

ROBIT OF WAY

EXSENSITE LINE

ORDER BRACK

ORDER BRACK

ORDER LINE - EDGE OF PAYEMENT - CURB & GUTTER 5 FT TRANSTION ("L" GURB TO "ROLL" GURB)



SHEET PP9 1
53 OF 69 SHEETS
SCI PROJECT#
18478 RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH AREA 3 7th STREET - PLAN AND PROFILE





	REV. NO.	DEBONALION	DEWNE BY	AMMONIA	DATE /	-L
DATE D3-10-06						"
CHECKED BY SH\DB	<u> </u>					160
DRAWN BY GA						
SCALE (V) 1" = 4"						
SCALE (H) 1"= 40"						

- FLOWUNE ELEVATION TOP OF CURB ELEVATION

Q1184751_199.des(()in Plane-HILIPP ches, 36(20)05 74821.W, Clasfor Write-


Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 10 of 25





CONSTRUCTION NOTES:

1) SIDEMALK ACCESS RAMP TYPE TO PER M.A.G. STANDARD DETAIL NO. 224



FEMA FLOOD ZONE

FEM MAY PARE TO CHOOSE 22755

AP OFFENIOR OF THE PROCESS SIZE SIME AND ADDRESS OF THE PROCESS SIZE SIME AND APPENIOR OF THE PROCESS SIZE SIME AND APPENIOR OF THE PROCESS SIZE OF THE PROCESS

SEASONTH A UNIT OF 2" DIA, SET IN CONC. BET, INSTRUCTOR BY A UNIT DISTRIBUTION OF SHIVANIN DIS. AND HOPE DIA, STAMPED "NO 34 1989 BY 19045."

GEOTECHNICAL NOTE:
A, CONSTRUCTOR, BAUL CORFERN WITH THE BHILL CONFIDENCY OF MEETING DISTRIBUTION OF MEE

(MORTH MOTITAL TO THE METS) USE OF THE IORINNESS COMMITTED COMMITTED THE METS OF THE IORIN MORE THAT STATE AND A MOTION AND ADMITTANCE AND A MOTION AND A MOTION

C.E.	PAE	P.U.E.	D.E.	P		1
- COMMON ELEMENT	= PEDESTRIAN ACCESS EASEMENT	= PUBLIC UTILITY EASEMENT	- DRAINAGE EASEMENT	= S/W RAMP	= CURB & GUTTER	("L" CURB TO "ROLL" CURB)

########### - SUBDIVISION/PHASE BOUNDRY

BASIS OF BEARINGS

EXEMINE CAME

FOR IT THE CAME

FOR IT TH



RHODES HOMES ARIZONA, LLC
GOLDEN VALLEY RANCH

AREA 3
C DRIVE - PLAN AND PROFILE
MOHAVE COUNTY


ARZON




E D3-10-06	REV. NO.	DERICHPTON	CRAWN EV	APPROVIAL.	DATE .	
CKED BY SH\DB						The same of the sa
WN BY GA						145EL 4
ALE (V) 1" = 4"	_					- H-
ALE (H) 1"= 40"						Regio
	_					

Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 11 of 25

2574.3 2574.58 8" PVC SS (2574.5) 2575.12 48" SSMH #10 STA 10+25.46 RM =2575.4± INV IN =2568.4 INV OUT =2568.2 (2575.0) 2575.60 (2575.0) 2578.24 (2575.8) 2576.60 (2573.5) 2577.36 (2573.4) 2577.92 (2575.7) -48" SSMH #11 STA 13+08.20 RM =2578.6± NV IN =2571.59 NV QUT =7571.39 (2577.0) 2579.04 (2577.7) 2579.80 (2578.5) 25**0**0.16 (2578.4) 2580.72 (2579.0) 48" SSMH #12 STA 15+81.40 RIM = 2581.7± INV IN = 2574.75 INV OUT = 2574.55 (2577.6) 2581.84 234, 57 U 0.823 8" PVC SS (2576.8) 2562.40





DISCLAIMEN NOTE FOR CONSTRUCTION 03-10-06 before your Overhead

before you

CHOTECHNICAL NOTE:
ALL CONSTRUCTION SML. CONSTRUCTION SML. CONSTRUCTION SML. CONSTRUCTION SML. SOLIS REPORT PROPERTY TO SML. T

ROPH DOTAS EST - HE MEST UNE OF HE NORTHWEST DUADER A (MY 1/4) OF SECTION OZ. TOMBER PO HORNI, RANGE ES MEST DUA SECTION OS SECTION OF SECTION OF SECTION OF SECTION (FIG. UNLIFE AND EXCESSOR OF MEST OWE. PROCESSOR OF MEST OWE. BENCHMARK BETCHMARK # "SD 34" M.C.S.D. ELEVATION - 2580/24273 IFT (NAVD '86) DESCRIPTION: ALLIM CAP 2" DIA., BET IN COYO. B5 FT, NORTHEAST OF THE SOUTH 1/4 DOWNER OF SEC. 35, T. 21 HJ., R-18 W., AND THE INTERSECTION OF SHIMARUMP DR. AND HOPE RD., STAMPED "50 34 1989 RLS 10343" STONE 1/4 COR 3/2 = 1.C.S.D. "SD 32" = LATITUDE 35'08'55.53385"H, LONGITUDE 114'10'30.72281"H (NAD '63) HEIGHT 2488.20408ITI (NAVO'88) LATITUDE 35'09'22.70034"H, LONOTUDE 114'09'21.57240"W (NAD '83) HEISHT 2582.48391ff (NAVO'88)

= PROPERTY UNE
= RIGHT OF WAY
- EASEMBIT UNE
= GRADE BREAK
- CENTER UNE - EXISTING CONTOUR
- LOT NUMBER
- EDGE OF PANEMENT = CLIRB & GUTTER - DRAINAGE EASEMENT
- PUBLIC UTILITY EASEMENT
= PEDESTRIAN ACCESS EASEMENT
- COMMON ELEMENT = S/W RAMP 5 FT TRANSTION CURB TO "ROLL" CURB)



42874 STEVEN A HAGEL

SHEET

PP1

55 OF 69 SHEETS

SCI PROJECT#

18478 RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH

AREA 3 5th STREET - PLAN AND PROFILE

FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANNE STELLES SELECTED TO RESIDENCE OF THE

STELLES SELECTED THE CONTROL OF THE

STELLES THE AREA OF THE CONTROL STELLES

FLAIR TOPS SOULIMENT (LOCATIONS.)





BASIS OF BEARINGS

A1L 00 10 00	REV. NO.	DESIGNATION	DRAWN EV	APPROVIL	DATE	IL .
ATE D3-10-06	1					
HECKED BY SH\DB	_					1/2
RAWN BY GA	<u> </u>					al ut.
CALE (V) 1" = 4"						NA NA
CALE (H) 1"= 40"						


= RATE & DIRECTION OF SLOPE = STATIONING AT BOC (CULDESAC)

- TOP OF CURB ELEVATION - CENTERLINE FINISHED GRADE ELEVATION = FLOWUNE ELEVATION Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 12 of 25









IMINARY ISSUE FOR REVIEW
FOR CONSTRUCTION 03-10-06

DISCLANGE NOTE

INTERVIDENCE SHOW

INTERVIDENCE THE RESPONSIBILITY

ON THE SHALE HE HERE

OCHINICATES RESPONSIBILITY

TO DETERMINE HE EXACT!

TO CONTROL OF AN OCHINICATES

OCHINICATES RESPONSIBILITY

TO CONTROL OF AN OCHINICATES

OCHINICATES

THAT ALL ESTING UTILITIES

OCHINICATES

AND SHOWN UTILITIES

OCHINICATES

OCHINICATES beid seines carr Call before you Overhead 1-928-753-5591

FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANNE STELLES SELECTED TO RESIDENCE OF THE

STELLES SELECTED THE CONTROL OF THE

STELLES THE AREA OF THE CONTROL STELLES

FLAIR TOPS SOULIMENT (LOCATIONS.)

CHOTECHNICAL NOTE:
ALL CONSTRUCTION SML. CONSTRUCTION SML. CONSTRUCTION SML. CONSTRUCTION SML. SOLIS REPORT PROPERTY TO SML. T

STOKE 1/4 COR 3/2 - LATITUDE 35'08'55.5335'N,
LONGITUDE 114'10'30.72281'W (NAD '83)
HEIGHT 2496.20468Ift (NAVI'86) BETICHMARK # "50 34" M.C.S.D. ELEVATION - 2590.24273 FT (NAVD '88) M.C.S.D. "SO 32" = escraphon: Alim Cap 2" da., set in conc. 85 ft. northeast de He south 1/4 cobier of sed. 35, f. 21 m., r.18 m. and the Tremsection of Shimarian dr. and hope Rd., stamped "so 34 1988 H.3 10343." LATITUDE 35'09'22,70034"N, LONGITUDE 114'09'21.5'7240"W (NAD '63) HEISHT 2552.46391IT (NAVO'88)

C.E.	PAE	P.U.E.	O.E.	P		á		ā sā	ï
II	1	1	1					II	
= COMMON ELEMENT	 PEDESTRIAN AGCESS EASEMENT 	PUBLIC UTILITY EASEMENT	DRAINAGE EASEMENT	- S/W RAMP	= CURB ★ GUTTER	5 FT TRANSTION ("L" CURB TO "ROLL" CURB)	= SUBDIVISION/PHASE BOUNDRY	= EDGE OF PAVEMENT	

5		á		4	73							§5TA: 10+04.89}	2.00%		2 P &	, i
S/W RAMP	= CURB & GUTTER	- 5 FT TRANSTION ("L" CURB TO "ROLL" CURB)	= SUBDINGION/NO SENIORY	= EDGE OF PAVEMENT	= LOT NUMBER	EXISTING CONTOUR	= CENTER LINE	= GRADE BREAK	= EASEMENT UNE	RIGHT OF WAY	PROPERTY LIKE	STATIONING AT BOC (CULDESAC)	= RATE & DIRECTION OF SLOPE	TOP OF CURB ELEVATION	- CENTERLINE FINISHED GRADE ELEVATION	= FLOWURE ELEVATION
			JRY									EMC)	P		E BLEVATION	



SCI F	56 OF	ي <u>ت</u>	RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH	
RDJECT# B476	69 SHEETS	성	AREA 3 5th STREET - PLAN AND PROFILE	
	l N		MOHAVE COUNTY	ADDAM



BASIS OF BEARINGS

CALE (H) 1"= 40"						
CALE (V) 1" = 4"						1000
RAWN BY GA						
HECKED BY SH\DB	_					1651
ATE D3-10-06	PECV. NEX	DESIGNATION	CHAMP BY	APPROXIM	DATE	

- FUTURE GRADE

Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 13 of 25 2585.8 66 116 (2584.3) 2586.09 AT CONTERUME (2584.7) 2586.38 8. Pic # 28 e Pic SS (2586.2) 2584.67 32 (2587.1) 2586.95 (2588.0) (2588.5) 2587.53 46" SSMH #5 STA 24+64.06 RM =2567.9± NV IN =2580.89 NV OUT =2580.89 AC D (2589.7) 2587.82 34 ST. 51H ST. 51 DR. 5 SCALE: HORIZONTAL 1" = 40" VERTICAL 1" = 4" PVI 5TA = 24+81.06 PVI ELEV = 2588.00 (2590,3) 2588,20 (2591.3) 2588.75 35 (2592.2) 2589.30 (2593.1) --2589.79 --0.95% (2593.7) (2593.6) 2590.68 EXISTING GROUN 130 37 (2594.7) 2591.17 (2595.4) 2591.88 (2595.9) 2592.15 48" SSMH 88 STA 29+53.84 RIM =2592.7± INV IN -2565. INV OUT -258 (2596.5) 2592.63 8' PVC SS 93.12 (2597.1) 2593.12 1 inch - 40 ft. GRAPHIC SCALE INCRIT MOYAN FAST - THE WEST LIVE OF THE MEATHEST DIAMETER (1981 1/4) OF SECTION OO, TOWNING PAGE ON MOYIN, FARED EN WEST, CAST, SECTION OF SEC BENCHMARK BEICHMARK # "SD 34" M.C.S.D. ELEYANON- 2580.24273 IFT (NAVD '88) DESCRIPTION: ALUM CAP 2" DIA., SET IN CONC. 85 FT. HIGHTHEAST OF THE SOUTH 1/4 CORNIER OF SEC. 35, T. 21 N., R.18 W. AUD THE HTESSCHOUND OF SHINARUMP DR. AND HOPE RD., STAMPED "SD 34 1999 RLS 10343." STONE 1/4 CDR 3/2 = M.C.S.D. "SD 32" = BASIS OF BEARINGS DISCLANIEN NOTE

INTY LOSTROMS SHOWN

INTY LOSTROMS SHOWN

INTY LOSTROMS THE IN INTY LOSTROMS

INTO A THE INTER IN INTY LOSTROMS

LOSTROM FOR INTER INTER

LOSTROMS INTERIOR TO LOSTROMS

LOSTROMS LOSTROMS

LOSTROMS LOSTROMS

LOSTROMS LOSTROMS

LOSTROMS LOSTROMS

INTERIOR LOSTROMS FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANNE STELLES SELECTED TO RESIDENCE OF THE

STELLES SELECTED THE CONTROL OF THE

STELLES THE AREA OF THE CONTROL STELLES

FLAIR TOPS SOULIMENT (LOCATIONS.) GEOTECHNICAL NOTE:
ALL CRISTRUTION SHALL CONFORM WITH THE SOILS REPORT PERPARED BY MERICAL SOILS PROJECT Not. 1040—650
PROJECT Not. 1040—650 IMINARY ISSUE FOR I LATITUDE 35°06'55.5.3385"N, (IAD '83) LONGITUDE 114"10'30.72281"W (IAD '83) HEIGHT 2488.20468HT (IAVD'68) LATITUDE 35°09'22.70034"1, LONGTUDE 114°09'21.57240"W (NAD '83) HEISHT 2582.46391#E (NAVO'8B) - EXISTING CONTOUR

= LOT NUMBER

= EDGE OF PAVEMENT PROPERTY LINE
RIGHT OF WAY
EXAMENT LINE
GRADE BREAK
CENTER LINE = STATIDANG AT BOC (DJLDESAC) = EXISTING GRADE = RATE & DIRECTION OF SLOPE = ORANAGE EASEMENT
- PUBLIC UTILITY EASEMENT
- PEDESTRIAN AGGESS EASEMENT
= COMMON ELEMENT - S/W RAMP = CURB & GUTTER FLOWUNE ELEVATION TOP OF CURB ELEVATION ("L" CURB TO "ROLL" CURB) before you before you Overhead 1-928-753-5991 PP13 SHEET PP13

57 OF 69 SHEETS
SCI PROJECT# RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH SCALE (H) 1"= 40 SCALE (V) 1" = 4" 42874 STEVEN A HAGEL CHECKED BY SH\DB

AREA 3 5th STREET - PLAN AND PROFILE





Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 14 of 25 30+00 2597.1 2593.12 9313 07 (2597.6) 2593.61 (2597.8) 2594.10 (2597.9) (2598.2) 2595.0B (2598.8) (2599.2) 2598.06 þΩl (2599.6) 2596.55 11th STREET (PRIVATE)
SCALE: HORIZONTAL 1" = 40'
VERTICAL 1" = 4' (2800.0) 2587.04 gg l (2600.3) 2597.53 (2800.5) 2598.02 CONSTRUCTION NOTES:

(1) SIDEWALK ACCESS RAMP TYPE 'D' PER M.A.G. STAYIDARD (2599.9)-2598.51 -951 (2599.7) 2599.00 L51 (2600.3) 2599.49 (2800.4) 2599.98 5TH ST. (PRIVATE / PUE) açı (2600.6) Q 20 40 EN FEST)
1 inch = 40 ft. GRAPHIC SCALE (2601.0) 2600.41 9 PVC SS (2601.0) (2800.8) 2599.75 EVCE: 2599.75 48" SSMH #8 STA 39+14.81 1.48 R RIM = 2599.8± INV OUT = 2592.49 100 E 2580 2590 5TA: 39+43.20 HORPH HOTTAN EAST — THE MEST LIFE OF THE MORTHMEST DUARTER (TWI 1/4) OF SECTION AD TOMBHES ON HORSH, PARKET BI MEST AND AS OFFICIAL TOMBHES ON HORSH, PARKET ON THE MESTIVAN AS OFFICIAL AS OFFICIAL OF THE MESTIVAN FOR STEED OF 1885 (2625—487), MEST ZONE, DEMOCRATOR FOR OTHER DUARTER OF THE MESTIVAN FOR STATION OBSERVATIONS. **BENCHMARK** BEICHMARK ≢ "SD 34" M.C.S.D. ELEYANOYI= 2580,24273 IFT (MAYD "BB) STIDNE 1/4 CDR 3/2 = M.C.S.D. SD 32" -ESCRIPTION: ALUM CAP 2" DIA. SET IN CONC. 55 FT. HORTHEAST OF HE SOUTH 1/4 CORNER OF SEC. 35, T. 27 N., R.18 W. AUG THE TERRECTION OF SHINARUM DR. AND HOPE RD., STAMPED "SD 34 1999 LS 10343." ############ - SUBDIVISION/PHASE BOUNDRY FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANNE STELLES SELECTED TO RESIDENCE OF THE


STELLES SELECTED THE CONTROL OF THE


STELLES THE AREA OF THE CONTROL STELLES

FLAIR TOPS SOULIMENT (LOCATIONS.) CHOTECHNICAL NOTE:
AL CONTRICTION MITH THE
SOLS REDWY NEWFACED BY MERICALI SOLS
PROJECT NO. 12 SEPTIMERY 05
PROJECT NO. 1080-850 DISCLAIMEN NOTE IMINARY ISSUE FOR I LATITUDE 35'09'22,70034"N, LONGITUDE 114'09'21,57240"W (NAD '83) HEIGHT 2582,46391H (NAVD'88) = PROPERTY UNE
- RIGHT OF WAY
- EASEMBYT UNE
= GRADE BREAK
= CENTER UNE = RATE & DIRECTION OF SLOPE - STATIONING AT BOC (CULDESAC) - EXISTING GRADE - LOT NUMBER = EDGE OF PAVEMENT = CURB & GUTTER = EXISTING CONTOUR - Drainage easement = Public Utility easement = Pedestrian access easement 5 FT TRANSTION CURB TO "ROLL" CURB before you before your Overhead Ž SHEET PP14

SCI PROJECT# RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH SCALE (H) 1"= 40" SCALE (V) 1" = 4" 42874 STEVEN A HAGEL DRAWN BY GA AREA 3 5th STREET - PLAN AND PROFILE Stanley Consultants INC. CHECKED BY SH\DB

Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 15 of 25





OCNSTRUCTION NOTES

(1) SIDEWALK ACCESS RAMP TYPE '0' PER M.A.B. STANDARD DETAIL NO. 234

IMINARY ISSUE FOR I before your Overhead

DISCLAIMEN NOTE and edito before

GEOTECHNICAL NOTE:
AL CRISTRUTIOS BALL COFFORM WITH THE SOILS REPORT PREPARED BY MERICALI SOILS PROFERING LICE THE TO A TELE 12 SEPTIMETER OF PROFETT No.: 1080—850

FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANN

AREA RESIDANTS AS A SECUL FLOOD MANN

SEE OF THE TAX BROWNING THE

SEE OF THE TAX BROWNING THE

SEE OF THE AREA OF THE 100 MANN


FLOOR THE RESIDANT SEE

FLOOR THE RESIDANT S

INDEPTH DUTYAL FAST — THE MEST UNE OF THE MIDTHESST DIAMETER (1981-14) OF SECTION OO, TOWNSHE POOR DIAMETER AND THE MESTAL OF SECTION (FIRST COME, MICHAEL POOL (FIRST OF SECTION). THE SECTION OF SEC DESCRIPTION: JULIA CAP 2" DIA, SET IN CONC. 85 FT, HOSTHEAST OF THE SOUTH 1/4 CORRER OF SEC. 35, T. 21 M, R.10 W, AND THE INTERSECTION OF SHIMMUMP DR. AND HOPE RD., STAMPED "SO 34 1989 RLS 10243". BETCHMARK # "SD 34" M.C.S.D. ELEVATION - 2580.24273 IFT (NAVD "88) STDNE 1/4 CDR 3/2 = A.C.S.D. SD 32 = LATITUDE 35'08'55.53385'N, LONGITUDE 11410'30.72281"N (NAD '83) HEIGHT 2488.204581ff (NAVO'88) LATITUDE 35°09'22,70034"N, LONGITUDE 114°09'21,5"240"W (NAD '83) HEISHT 2582,46391#F (NAVO'8B)

BASIS OF BEARINGS ■猫里里里里里里里 - SUBDIVISION/PHASE BOUNDRY = S/W RAMP - CURB & GUTTER = DRANHAGE EASEMENT = PUBLIC UTILITY EASEMENT = PEDESTRIAN ACCESS EASEMENT = COMMON ELEMENT 5 FT TRANSITION ("L" CURB TO "ROLL" CURB)

STA: 10+U4.89) = STATIONENG AT BOC (GULDESAC) = PROPERTY UNE
- RIGHT OF WAY
= EASEMBNT UNE
- GRADE BREAK
= CENTER UNE = EXISTING DONTOUR
- LOT NUMBER
- EDGE OF PAYEMENT - EMSTING GRADE - RATE & DIRECTION OF SLOPE - FLOWUNE ELEVATION




RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH SHEET
PP15


SCI PROJECT#
18478 AREA 3 10th STREET - PLAN AND PROFILE



ALE (H) 1"= 40" ALE (V) 1" = 4'						A 1287 A 1287 HADE
ECKED BY SH\DB						
TE D3-10-06	PECV. MEX	DEMONSTRUM	CRAWN EV	APPROVIAL.	DATE	TEGR


Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 16 of 25





CONSTRUCTION NOTES:

(1) SIDEMALK ACCESS RAMP TYPE OF PER M.A.G. STANDARD DETAIL NO



DISCLAIMEN NOTE

INTERPLATE TO THE CONTROL OF THE C

A. CRETTECHNICAL NOTE:

A. CRETTECHNICAL LACTION MY IN IX
SOLIS STORT PREVIOUS DE MASSIONI SOLIS
STORT PREVIOUS DE MASSIONI SOLIS
STORT PREVIOUS DE MASSIONI SOLIS
FEMAL PLOCATION DE MASSIONI SOLIS
AND RESULTA LACTION DE MASSIONI SOLIS
AND RESULTA LA SECULTA LACTION MASSIONI
AND RESULTA LACTION
AND R

BEINCHMARY

BENCHMARY

HAZHI (2013 25° ESST — THE MEST LIFE OF THE MOSTHWEST CLAVETS AS LITT FORM ALTON ALT

- S IT TAKASTION

(1' CASE A CHITER

- S/W RAMP

- S/W RAMP

- DEAMAGE EXSENSIT

PALE - PRESTRAM ACCESS EXSENSIT

PAE - PRESTRAM ACCESS EXSENSIT

DE - COMMON ELDRENT

- EXISTING CONTOUR

= LOT NUMBER

- EDGE OF PAVEMENT





RHODES HOMES ARIZONA, LLC
GOLDEN VALLEY RANCH


AREA 3
H DRIVE - PLAN AND PROFILE
MOHANE COUNTY


AREA 3
H DRIVE - PLAN AND PROFILE



	(BEA' NE	DESCRIPTION	CHAMB BY	APPROVING.	DATE)	
E D3-10-06						(III)
CKED BY SH\DB						
WN BY GA	_					MA SEL MASE
LE (V) 1" = 4"	_					2.91
LE (H) 1"= 40"						Regist

Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 17 of 25





DISCLANIEN NOTE

INTY LOSTROMS SHOWN

INTY LOSTROMS SHOWN

INTY LOSTROMS THE IN INTY LOSTROMS

INTO A THE INTER IN INTY LOSTROMS

LOSTROM FOR INTER INTER

LOSTROMS INTERIOR TO LOSTROMS

LOSTROMS LOSTROMS

LOSTROMS LOSTROMS

LOSTROMS LOSTROMS

LOSTROMS LOSTROMS

INTERIOR LOSTROMS IMINARY ISSUE FOR I before your Overhead

before you

FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANN

AREA RESIDANTS AS A SECUL FLOOD MANN

SEE OF THE TAX BROWNING THE

SEE OF THE TAX BROWNING THE

SEE OF THE AREA OF THE 100 MANN

FLOOR THE RESIDANT SEE

FLOOR THE RESIDANT S GEOTECHNICAL NOTE:
AL CRISTRUTIOS BALL COFFORM WITH THE SOILS REPORT PREPARED BY MERICALI SOILS PROFERING LICE THE TO A TELE 12 SEPTIMETER OF PROFETT No.: 1080—850

designinoy: Alum Cap 2° da., set in conc. 85 ft. hostheast of the south 1/4 corner of sec. 35, 1, 21 kl., r.18 m, and the tremegnical of shimarum dr. and hope rd., stamped "so 34 1989 N.S. 19343." BENCHMARK BENCHMARK # "SO 34" M.C.S.D. ELEYATION= 2590,24273 IFT (NAVD "88)

INCRIM GOTTAS PLAST – THE WEST LINE OF THE LORDINGSES QUANTIES (1981-14) OF SCENDIN QUANTIES AND OUTCOME AND OUT HORSE AND OUT HE READ OF SECTION OF SECTI STONE 1/4 COR 3/2 -LATITUDE 38°09'22,70034"N.
LONGITUDE 114°09'21.57240"W (NAD '83)
HEIGHT 2582,463811ft (NAVO'88)


STATUTERS AT BOX (DULDESHA) - REPORTEY USE - REPORTEY - REPORTERS - CAUSE AND REPORTERS - SAW RAME - SAW RA		C.E.	P.A.E	P.U.E	D.E.	Ø	1	世	ă.	73							STA: 10+04.89	2.00%	
	b		- PEDESTRIAN ACCESS EASEMENT				= 5 FT TRANSITION ("L" CURB TO "ROLL" CURB)	= SUBDIVISION/PHASE BOUNDRY			- EXISTING CONTOUR	- CENTER LINE	- GRADE BREAK	= EASENENT LINE	- RIGHT OF WAY	- PROPERTY LINE		- RATE & DIRECTION OF SLOPE	



SHEETS
SCI PROJECT# RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH



CALE (H) 1"= 40"						ſ
CALE (V) 1" = 4"						
RAWN BY GA						
HECKED BY SH\DB						
	1					1
ATE D3-10-06	REV. MS	DESCRIPTION	DRAWN BY	APPROXIST.	DATE	jl.



- FLOWLINE ELEVATION = TOP OF CURB ELEVATION = CENTERLINE FINISHED GRADE ELEVATION

Case 09-14814-qwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 18 of 25 SCALE: HORIZONTAL 1" = 40'
VERTICAL 1" = 4' 100 $g_{\mathcal{C}}$ S CONSTRUCTION NOTES

(1) SIDEWALK ACCESS RAMP TYPE '0' PER M.A.G. STANDARD DETAIL NO. 234 STORIL DRAN CONSTRUCTION NOTES

1 STATUL OF MORTH OF MARKET OF MARKET OF MARKET OF STATE OF S BENCHMARK
BENCHMARK # "SD 34" M.C.S.D.
ELEYATION= 2590,24273 IFT (NAVD '88) BASIS OF BEARINGS STORE 1/4 COR 3/2 — LATITUDE 35'08'55,53355'N,
LORGITUDE 114'10'50.72281'N (HAD '83)
HEIGHT 2488,2045811 (HAND'86) REDIRIPHON: ALUM CAP 2" DIA. SET IN COMO. BS FT. HORTHEAST OF HE SOLIN 1/A CORNER OF SEC. 35, T. 21 HJ, R.18 W, AND THE TERRECEING OF SHILARUMP DR. AND HOPE RG., STAMPED "SD 34 1989 LS 10243." A.C.S.D. 'SD 32' = GORTH DOTASM EAST — THE WEST UPE OF THE MORTHWEST QUANTIES MIN 1/4) OF SECTION O, TOMISHER DO MORTH, FAMEL IS WEST QUANMALT PAREN METIDAM, MOSHAK COMPTY, AMEZONA, AS DETERMINED BY THE WECKNA COMPONINTE SESTEM OF THE GOLDS—WEST ZOWE,
THE TREMATIQUAL, FROST (FITS) UTLIZING PAST STATIC OBSERVATIONS ########### = SUBDIMSION/PHASE BOUNDRY FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANN

AREA RESIDANTS AS A SECUL FLOOD MANN

SEE OF THE TAX BROWNING THE

SEE OF THE TAX BROWNING THE

SEE OF THE AREA OF THE 100 MANN

FLOOR THE RESIDANT SEE

FLOOR THE RESIDANT S QEOTECHNICAL NOTE:
ALL CONSTRUCTION SMLL CONTOON MITH THE
SOUL REPORT PERSPARED BY MERICAN SOLIS
REPORT PERSPARED OF
MITTER 12 SEPTIMBER 05
PROJECT No. 1080-660 DISCLAIMEN NOTE FOR CONSTRUCTION 03-10-06 - RAIE & DIRECTION OF SLOPE

- RAPE-CRY LIME

- ROBE GENERAL

- ROBE GENERAL

- CENTER LIME

- CENTER LIME LATITUDE 38°09'22,70034"N.
LONGITUDE 114°09'21.57240"W (NAD '83)
HEIGHT 2582,463811ft (NAVO'88) - EXISTING CONTOUR

= LOT NUMBER

- EDGE OF PAVEMENT - FLOWUNE ELEVATION - S/W RAMP - CURB & CUTTER = TOP OF CURB ELEVATION = CENTERLINE FINISHED DRAGE ELEVATION PUBLIC UTILITY EASEMENT
PEDESTRIAN ACCESS EASEMENT
COMMEN ELEMENT DRAINAGE EASEMENT 5 FT TRANSITION ("L" GURB TO "ROLL" GURB) before you before you Overhead

PP17A
62 OF 69 SHEETS
SCI PROJECT#

RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH

AREA 3 STORM DRAIN PLAN VIEW INFORMATION





3	5820 S. Eastern Avenue, Suite 200 Las Vegas, Neroda 89119 (702) 359–9398 Fax (702) 359–9793 www.stanleygroup.com
0	
Jay Can	cultante

AN DIREMPTER	CRAWN SY	#PPROMI	DATE	`
			_	\
				1/6
				[3
				1

42674 STEVEN A.


Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 19 of 25





CONSTITUCTION NOTES

(1) SIDEWALK ACCESS RAMP TYPE TO PER M.A.G. STANDARD DETAIL NO. 234



IMINARY ISSUE FOR I

DISCLANIEN NOTE

INTY LOSTROMS SHOWN

INTY LOSTROMS SHOWN

INTY LOSTROMS THE IN INTY LOSTROMS

INTO A THE INTER IN INTY LOSTROMS

LOSTROM FOR INTER INTER

LOSTROMS INTERIOR TO LOSTROMS

LOSTROMS LOSTROMS

LOSTROMS LOSTROMS

LOSTROMS LOSTROMS

LOSTROMS LOSTROMS

INTERIOR LOSTROMS before you Overhead

SCI PROJECT#

before Olg

FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANN

AREA RESIDANTS AS A SECUL FLOOD MANN

SEE OF THE TAX BROWNING THE

SEE OF THE TAX BROWNING THE

SEE OF THE AREA OF THE 100 MANN

FLOOR THE RESIDANT SEE

FLOOR THE RESIDANT S


CHOTECHNICAL NOTE:
ALL CONSTRUCTION SML. CONSTRUCTION SML. CONSTRUCTION SML. CONSTRUCTION SML. SOLIS REPORT PROPERTY TO SML. TO SMC. 12 SEPTIMIERY 05
PROJECT No. 1080-850

BENCHMARK
BETCHMARK # "50 34" M.C.S.D.
ELEVATION = 2580.24273 IFT (NAVI '88) DESCRIPTION: ALUM CAP 2" DIA, BET IN COME 55 FT, MORTHEAST OF THE SOUTH 1/A DEMERS OF SEC. 36. T. 21 M., P.18 M. AND THE WESTSCHOILO OF SHINARUM DR. AND HOPE 100., STAINED "50 34 1989 TLS 102-5."

STDNE 1/4 CDR 3/2 = M.C.S.D. SD 32" -LATITUDE 35°08'55.53385"N, LONGITUDE 114'10'30.72281"W (NAD '63) HEIBHT 2488.204686# (NAVU'88) LATITUDE 35'08'22.70034"N,
LONGITUDE 114'09'21.87240"N (NAO '83)
HEIGHT 2582.46391Iff (NAVO'88)

BASIS OF BEARINGS

£ 1	P.U.E	3.0	Ø		A		i i	73							STA: 10+04.89	2.00%
8 8		무	Š.	ا و	 	= SI	I	5	U Q	E CE	11 12 13 14	Б П	공	∥ Pr	= 51	₽
COMMON ELEMENT	PUBLIC UTILITY EASEMENT	DRAINAGE EASEMENT	= S/€ RAMP	- CURB & GUTTER	S FT TRANSITION ("L" CURB TO "ROLL" CURB)	= SUBDIVISION/PHASE BOUNDRY	EDGE OF PAVEMENT	LOT NUMBER	EXSTING DONTOUR	CENTER LINE	GRADE BREAK	EASEMENT LINE	RIGHT OF WAY	PROPERTY LIKE	STATIONING AT BOC (CULDESAC)	- RATE & DIRECTION OF SLOPE



RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH AREA 3 6th STREET - PLAN AND PROFILE




	J. Cones 1844	enem-los		HTTENSE.		
E D3-10-06	PREV. NO.	DESCHINON	CRAWN PY	APPROXIST.	DATE .	
CKED BY SH\DB						The same of the sa
WN BY GA						HAGE HAGE
LE (V) 1" = 4"						1000
LE (H) 1"= 40"						Regi

= TOP OF CURB ELEVATION = CENTERLINE FINISHED BRADE ELEVATION Q1,1847E_1750.dm/(1049 Pitters-PHL197-6.mg, 347(2009 7-131/2544), Calent'S review


Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 20 of 25

2587.7 2584.39 84.39 (2588.0) 2584.93 PW ELEV + 2584.97 (2588.6) 2585.25 (2589.5) 2585.55 B pyc SS (2590.5) 2585.11 (2591.4) 2588.67 (2592.1) - 2587.24 - (2592.8) 2567.80 (2593.5) 2588.36 (2594.1) 2568.93 HSTING GROUND 0.95% (2594.2) (2594.B) 2590.05 B PWC SS 90.62 28.00 (2595.3) 2590.52



CONSTRUCTION NOTES:

(1) SDEWLK ACCESS RAMP TYPE 'D' PER M.A.G. STANDARD DETAL NO. 234



PRELIMINARY ISSUE FOR REVIENOT FOR CONSTRUCTION 03-1

SHEET
PP19

14 OF 69 SHEETS
SCI PROJECT#
18478

DBCLAMEN NOTE

UNITY LOCATIONS AND SHORE

A SECONDARY LOCATIONS AND BOTTO FOR THE MANAGEMENT OF THE MA

APER SOLUTION IN STREET OF PROJECT IN 1000-820

FEMAL PLOOD ZONE

FRAM PLOOD ZONE

FRAM WHO PAWE IN DOUGH ZUEZ

FRAM WHO FAWE IN DOUGH ZUEZ

APER SOURCE IN THE RELATED WHO HAD APER SOURCE IN THE RELATED WHO HAD APER SOURCE IN EACH OF THE ON YOUR CONTROL FOR BOARDER AND THE RELATED WHO HAD APER SOURCE IN A REAL OF THE ON YOUR COUNTRIES.

BECKCHAMPS

BECKCHAMPS

BECKCHAMPS

STATE

STATE

SECONDATE: AND ADD ST IN HOTE BS IT, HOTHERST OF

RESCHING OF SHARBARD DR. AND HOTE BS, TRAMPER 3D 34, 1999

RESCHING OF SHARBARD DR. AND HOTE BS, TRAMPER 3D 34, 1999

RESCHING AND ADD STATE

CHECK STATE

ALL CONTROL OF SHARBARD DR. AND HOTE BM. AND HOTE

SOLE SHARP REPORTED BY AND THE MAN THE

SOLE SHARP REPORTED BY AND ADD STATE

SOLE SHARP REPORTED BY AND STATE

SOLE SHARP REPORTED

BRIT OF WAY

COURTE UNE





42674 STEVEL A

RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH AREA 3 6th STREET - PLAN AND PROFILE



11 03-10-06	PREV. MIS.	DERONPTION	CRAWN BY	APPROVING	DATE	JL.
TE D3-10-06	11					
ECKED BY SH/DB						1/9
AWN BY GA	⊩					K
AWN BY GA	11					
ALE (V) 1" = 4"						
ALE (H) 1"= 40"						

200X - RATE & DIRECTION OF SLOPE
STATIONERO AT BOO (CULDESAC)

= TOP OF CURB ELEVATION

Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 21 of 25 STATION 28+00.00 FOR CONTINUATION SEE SHEET .2595.3 2590.82 90.62 (2595.7) 2591.16 (2596.2) 2601.74 (2596.4) 2592.31 255.91 U (2596.1) AT CENTERLINE (2595.8) 2593.43 0.40 155 (2595.8) ---PVI STA - 31+50 PVI ELEV - 2594.56 (2595.6) 121 gþ١ (2595.1) 2595.23 (2596.6) 0Z1 (2597.1) 2598.57 8 0.40% (2597.3) 2596.72 (2597.1) 2598.08 PVI STA = 34+40.59 PVI ELEV = 2595.43 PVI STA = 34+42.09 PVI ELEV = 2595.53 (2597.3) 2595.69 PVI STA = 34+57.59 PVI ELEV = 2595.84 48" SSMH #2 STA 34+57.59 RM 2585.8± INV IN +2586.13 INV IN +2586.13 INV OUT =2585.9 çς CONSTRUCTION NOTES GRAPHIC SCALE DRIPHION: ALUM CAP 2" DIA, SET IN CONC. B5 FT. NORTHEAST DF SOUTH 1/4 CORNER OF SEC. 35, T. 21 NJ, R.18 W, AND THE RESCHOOL OF SHINARUMP DR. AND HOPE RD., STAMPED "SD 34 1980 10343." FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANN

AREA RESIDANTS AS A SECUL FLOOD MANN

SEE OF THE TAX BROWNING THE

SEE OF THE TAX BROWNING THE

SEE OF THE AREA OF THE 100 MANN

FLOOR THE RESIDANT SEE

FLOOR THE RESIDANT S GEOTECHNICAL NOTE:
AL CRISTRUTIOS BALL COFFORM WITH THE SOILS REPORT PREPARED BY MERICALI SOILS PROFERING LICE THE TO A TELE 12 SEPTIMETER OF PROFETT No.: 1080—850 ####### - SUBDIVISION/PHASE BOUNDRY IBCLAIMEN NOTE IMINARY ISSUE FOR FOR CONSTRUCTION = PROPERTY UNE
= RIGHT OF WAY
- EASEMBYT UNE
= GRACE BREAK
= CENTER UNE - STATIONERG AT BOC (CULDESAC) = EXISTING GRADE = FUTURE GRADE - DRAINAGE EASEMENT
= PUBLIC UTILITY EASEMENT
= PEDESTRIAN ACCESS EASEMENT
- COMMON ELEMENT - LOT NUMBER CENTERLINE FINISHED GRADE ELEVATION ("L" CURB TO "ROLL" CURB) before you Overhead 1-928-753-5991 Act office before PP20 1989

RHODES HOMES ARIZONA, LLC
GOLDEN VALLEY RANCH

AREA 3
8th STREET - PLAN AND PROFILE
MICHANE COUNTY

AREA 3



	(BEV. 165	DESCRIPTION	CHANN BY	APPROVING	DATE	/
DATE D3-10-06						`
CHECKED BY SH\DB						1/2
DRAWN BY GA						
SCALE (V) 1" = 4"						
SCALE (H) 1"= 40"						
	_		_			

Case 09-14814-qwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 22 of 25 51H 5T. 8 6TH ST (2586.1) 2582.91]B. brc # (2586.0) 2583.02 A STA = 10468.0 A ELEV = 2583.3 A.D. = 1.07 K = 48.67 50.0° VC (2565.B) 2564.15 E DRIVE (PRIVATE)

SCALE: HORIZONTAL 1" = 40'

VERTICAL 1" = 4' (2585.7)-GRAPHIC SCALE 116 (2585.3) 2585.88 (2565.2) CONSTRUCTION NOTES:

(1) SIDEWALK ACCESS RAMP TYPE 'D' PER M.A.G. STANDARD PVI STA (= 10+00 PVI ELEV|= 2587.0X PVI \$TA = 10+15.50 PVI ELEV = 2586.69 (2591.8) PM ELEV = (2586.59 PM STA = 10+16.50 (N PRET)
1 inch = 40 ft. (2591.5) 2587.35 GRAPHIC SCALE (2591.3) 2588.47 (2590.8) 2589.13 TA 11+77.68 (2590.1) --2589.16 --EVCS: 12+35.64 EVCE: 2586.79 (2590.3) 2588.59 (2590.2) 2587.85 PVI STA = 13+19;41 PVI ELEV = 2587.56 (2590.3) 2589.10 BENCHMARK BEJCHMARK # "50 34" M.C.S.D. ELEVATION- 2580.24273 IFT (HAVD "8B) DESCRIPTION: ALUM GAP 2" DIA., SET IN CONC. 85 FT, INSTHEAST OF THE SOUTH 1/4 OCRNER OF SEC. 35, T. 21 IJ., R.18 W. AND THE INTERSECTION OF SHIVARUAD DR. AND HOPE RO., STAMPED "3D 34 1988 RLS 10343." BASIS OF BEARINGS STDNE 1/4 CDR 3/2 = 1.C.S.D. "SD 32" = WINTH DOTAIN EAST — THE WEST LINE OF THE HOSTIMMENT DUMBTER WINT (ALS) AS IN SECTION OF DOMSHIP DO NORTH, WANGET IN WEST, CHA & LIT PRICE NEIDOM, MOHATE COMITY, MARCIAL, AS DETERMED BY THE TODAY, COMODINATE STORY OF THE CHARACTER, TODAY, CHARACTER, CHARACTE FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANN

AREA RESIDANTS AS A SECUL FLOOD MANN

SEE OF THE TAX BROWNING THE

SEE OF THE TAX BROWNING THE

SEE OF THE AREA OF THE 100 MANN

FLOOR THE RESIDANT SEE

FLOOR THE RESIDANT S GEOTECHNICAL NOTE:
AL CRISTRUTIOS BALL COFFORM WITH THE SOILS REPORT PREPARED BY MERICALI SOILS PROFERING LICE THE TO A TELE 12 SEPTIMETER OF PROFETT No.: 1080—850 BCLAIMEN NOTE LIMINARY ISSUE F = GRADE BREAM EMSTING GRADE
 FUTURE GRADE - LOT HUMBER = EDGE OF PAVENENT PUBLIC UTILITY EASEMENT
PEDESTRIAN ACCESS EASEMENT CURB & GUTTER S FT TRANSITION "ROLL" CURB) FLOWUNE ELEVATION DRAINAGE EASEMEN 털 Act office before you Overhead before 1999 SHEET PP21

66 OF 69 SHEETS

SCI PROJECT# RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH 5820 S. Eastern Avenue, Suite 26 Las Vegas, Neroda 89119 (702) 369-9398 Fax (702) 369-www.stanleygroup.com



	SCALE (H) 1"= 40" SCALE (V) 1" = 4" DRAWN BY GA CHECKED BY SH\DB		
00	SCALE (V) 1" = 4"		
-9793	DRAWN BY GA		
	CHECKED BY SH\DB		
VC.			



Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 23 of 25 (2590.2) 2589.45 (2590.0) 2588.94 AREA 3 (2590.4) 2590.83 PVI STA = 11+36.81 PVI ELEV = 2592.22 (2590.7) (2590.6) 2592.48 (2590.4) 2592.60 (2590.5) -2592.13 -(2590.0) 2591.58 (2589.4) 2591.03 (2589.8) 2590.48 (2589.3) 2589.93 (2588.8) 2588.38 (2588.9) 2588.82 (2588.7) SEE SHEET PP9 PM STA = 18+92 PM ELEV = 2587.68 (2588.6) 2587.53 PM STA = 17+09.51 PM ELEV = 2587.34 CONSTITUCTION NOTES:

(1) SIDEWALK ACCESS RAMP TYPE "D" PER M.A.G. STANDARD GRAPHIC SCALE (Pr FEST)

DISCLAIMEN NOTE IMINARY ISSUE FOR I

before your Overhead

FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANN

AREA RESIDANTS AS A SECUL FLOOD MANN

SEE OF THE TAX BROWNING THE

SEE OF THE TAX BROWNING THE

SEE OF THE AREA OF THE 100 MANN

FLOOR THE RESIDANT SEE


FLOOR THE RESIDANT S QEOTECHNICAL NOTE:
ALL CONSTRUCTION SMLL CONTOON MITH THE
SOUL REPORT PERSPARED BY MERICAN SOLIS
REPORT PERSPARED OF
MITTER 12 SEPTIMBER 05
PROJECT No. 1080-660

DESIGNATION: ALLM CAP 2" DIA., SET IN COYC. B5 FT, NORTHEAST DF NE SOUTH 1/4 CORNER OF SEC. 33, T. 27 III, R.18 W. MID THE RESECTION OF SHIMARLIAP DR. MID HOPE RD., STAMPED "SD 54 1989 ILS 19243." BETCHMARK # "SO 34" M.C.S.D. ELEVATION= 2590.24273 IFT (NAVD "88) STONE 1/4 COR 3/2 -1.C.S.D. "SO 32" =

LATITUDE 35°08'22.70034"H. LONCITUDE 114°09'21.57240"W (NAD '63) HEIGHT 2562.46391ff (NAVD'68)

I MERHI MOTTAN EDST — HE MEST UNE OF THE LORDHWEST GLANDER A (TWA 1/4) OF SECTION QUA, TOMASHER SON FORTH, RANGE ES MESTELLAND, MOLANCE COLUMN, ADDIANE COLUMN

############ = SUBDIMSION/PHASE BOUNDRY = DRANAGE EASEMENT = PUBLIC UTILITY EASEMENT - PEDESTRIAN ACCESS EASEMENT = COMMON ELEMENT - CURB & CUTTER - S/W RAMP S FT TRANSTION ("L" CURB TO "ROLL" CURB)



RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH SHEET
PP22
17 OF 69 SHEETS
SCI PROJECT#
18478 AREA 3 F DRIVE - PLAN AND PROFILE

before you



SCALE (H) 1"= 40"						Reg
SCALE (V) 1" = 4"						Marie II
DRAWN BY GA						HADE
CHECKED BY SH\DB						Iles III
DATE D3-10-06						
	(REV. MEX	DENOMPTON	DEWAR BY	APPROVING.	DATE /	

= EXISTING GRADE - FUTURE GRADE

- FLOWUNE ELEVATION - TOP OF CURB ELEVATION E CENTERLINE FINISHED GRADE ELEVATION

- PROPERTY LINE
- RIGHT OF WAY
= EASEMBAT LINE
- GRADE BREAK
- CENTER LINE


- RATE & DIRECTION OF SLOPE


= STATIONING AT BOC (CULDESAC)

- EXISTING CONTOUR
- LOT NUMBER
- EDGE OF PAVEMENT

CHIEFE DISAMINA DAMANINO CON TROUBLE PRINTERS OF CARDE MAN


Case 09-14814-gwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 24 of 25





CONSTRUCTION NOTES:

(1) SDEWALK ACCESS RAMP TIPE TO PER M.A.G. STANDARD DETAIL NO. 234



DISCLAIMEN NOTE

UNITY LECTIONS SHOW

COLUMN IT SAME THE COLUMN

COLUMN IT SAME THE COLUMN IT SAME THE COLUMN

COLUMN IT SAME THE COL

FEMA FLOOD ZONE

FEM MP: PME TO DONE 22555

AP OFFEN OF THE PARKET SITE LESS WHILE AN

APPRIOR OF THE PARKET SITE LESS WHILE AN

APPRIOR OF THE FRANKET SITE LESS WHILE AN

APPRIOR OF THE FRANKET SITE OF THE SITE

APPRIOR OF THE SITE OF THE SITE AND THE

CHOTECHNICAL NOTE:
AL CONSTRUCTION WITH THE
SOILS REPORT PERFARED BY MERICAN SOILS
BYOKE PERFARED BY MERICAN SOILS
BYOKE 12 SEPTEMBER 05
PROJECT No.: 1089—850

BENCHMARY

BECHANNEY 25 WINGSD.

BECHANNEY 34 WINGSD.

BECHANNEY 34 WINGSD.

BECHANNEY 34 WINGSD.

BECHANNEY 35 WINGSD.

BECHANNEY 3

(NY 1/A) OF SECTION OF THE MENTHEST QUARTER

(NY 1/A) OF SECTION OF THE MENTHEST QUARTER

(NY 1/A) OF SECTION OF THE MENTHEST AND THE MEXIC QUAR

SALT FROM MENTHEST AND THE MEXIC AND THE MEXIC QUAR

MENTHEST AND THE MENTHEST AND THE MENTHEST AND THE

MENTHEST AND THE MENTHEST AND THE MENTHEST AND THE

MENTHEST AND THE MENTHEST AND THE

MENTHEST AND THE MENTHEST AND THE

MENTHEST AND THE MENTHEST AND THE

MENTHEST AND THE MENTHEST AND THE

MENTHEST AND THE MENTHEST AND THE

MENTHEST AND THE MENTHEST AND THE

MENTHEST AND THE MENTHEST AND THE

MENTHEST AND THE MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST AND THE

MENTHEST

MENTHES

BASIS OF BEARINGS

STATE (194-MAS)

STATUTION OF RAPE

STATUTION OF THE COLLEGACY)

REPARTY LIE

REGIT OF WAY

CONTROL ME

CONTROL OWNERS

A LIE INMERSE


A LIE INMERSE

A LIE INMERSE

CY STANDON ON THE CONTROL

CY STANDON ON THE





RHODES HOMES ARIZONA, LLC
GOLDEN VALLEY RANCH

AREA 3
F DRIVE - PLAN AND PROFILE



ATE D3-10-06	FREV. MEX.	DERCOPTION	DRAWN BY	APPROVIL	DATE	Jl.
	1					
HECKED BY SH\DB						
RAWN BY GA	<u> </u>					
						11 .
CALE (V) 1" = 4"						
CALE (H) 1"= 40"						
						_

- TOP OF CURB ELEVATION

- CENTERLINE FINISHED GRADE ELEVATION



Case 09-14814-qwz Doc 1240-2 Entered 08/13/10 16:48:14 Page 25 of 25 (W FEST)
1 inch = 40 ft GRAPHIC SCALE STA. 10+00. B* STUB INV SB.36 SENER STUB 46" RCP 50 STUB STA 9+73.67 (2570.8) 2586.72 21.67 (G) (2570.8) 2587.22 AT CENTERLINE OF B SEMER LIN 11+00 EXISTING GROUND-AT CENTERLINE (2571.3) 2567.72 OF B. SEWER LINE AT CENTERLINE B DRIVE 01. 67 STA 11+88.34 5.22 L TC = 2599.10± BV NH + 2592.04B NV CH = 2590.4B 46* SSH FIR STA 1259.00 ± BW NH + 2559.39 BW NH + 2559.39 BW OUT = 2559.39 BW OUT = 2559.39 BW OUT = 2559.39 BW OUT = 2559.39 STA 13.24.40 25.18* L EN - 2559.04 BW OUT = 2563.44 STORM DRAIN CONSTITUCTION NOTES

STORM OF REAL ARE DAMBERS ON MARCE FOR MAKE

STORM OF REAL ARE DAMBERS ON MARCE FOR MAKE

BESTALL ARE FOR STORM ORNER

BESTALL A O INSTALL SE DAMETER SO MINISTER SE MASS
O INSTALL SE DAMETER SO MINISTER SE MASS
O INSTALL SE PER STORM DAME
O INSTALL SE PER STORM DAME
O INSTALL SE PER STORM DAME
O INSTALL AS PER STORM DAME
O IN 24 RDS CONSTRUCTION NOTES:

(1) SIDEMALK ACCESS RAMP TYPE 'D' PER M.A.G. STAIDARD DETAIL NO. 234 (2588.0) 2587.13 (2588.4) (2589.0) 2589.69 (EAST ENTRY STREET (PRIVATE)
SCALE: HORIZONTAL 1" = 40'
VERTICAL 1" = 4' (2589.8) 2590.87 AREA 3 (2590.5) -2591.59 -FOR PERMETER ROAD, SEE IMPROVEMENT PLANS BY STANLE CONSULTANTS. HIGH POINT ELEV - 2592.21
HIGH POINT SIA = 13+32.86
PAI STA = 13+00
PAI ELEV = 2592.82
A.D. - -2.72
K = 55.23 (2591.1) 2592.11 ਜੋ (TC 2591. (2591.5) 2592.18 CE B GRAPHIC SCALE (2591.5) 2591.88 (IN FEET) 1 fmch - 40 ft. (S.) (2591.8) 2580 2500 INBORTH MOTTAN FLOST — THE MEST LIFE OF THE LORDHWEST DILABERS (INW 1/4) OF SECTION OF, TOWNSHIP OF DIMENT, RAMER CE WAST, OHA, SECTION, AS DETERMINED BY THE MAZDAM, MODANAC COMMIT, AGEORA, AS DETERMINED BY THE MAZDAM COMMIT, MESTERM OF 1885 (AZBA-WF), BAST ZOWE, THOUSEAST DE 1085—AVES, BUT LIVERIAN FAST STATIC GRESEVATIONS DESCRIPTION: ALUM CAP 2" DIA, SET IN CONC. 55 FT. HORTHEAST OF HE SOUTH 1/4 CORNER OF SEC. 35, T. 27 H., R.18 W. AUD THE NEEDSCTION OF SHINARUAP DR. AND HOPE RD., STAMPED "SD 34 1989 ILS 10343." BENCHMARK BENCHMARK # "SD 34" M.C.S.D. BENCHMARK # "SD 34" M.C.S.D. BASIS OF BEARNOS TONE 1/4 COR 3/2 -1.C.S.D. *SD 32" = FEMA FLOOD ZONE

THE WAY PARKET OF TAX DOOR

APPROACH OF TAX DOOR

A PORTING OF THE MEST STELLES WHILE AN

AREA RESIDANTS AS A SECUL FLOOD MANN

AREA RESIDANTS AS A SECUL FLOOD MANN

SEE OF THE TAX BROWNING THE

SEE OF THE TAX BROWNING THE

SEE OF THE AREA OF THE 100 MANN

FLOOR THE RESIDANT SEE

FLOOR THE RESIDANT S GEOTECHNICAL NOTE:
ALL CRISTRUTION SHALL CONFORM WITH THE SOILS REPORT PERPARED BY MERICAL SOILS PROJECT Not. 1040—650
PROJECT Not. 1040—650 DISCLAIMEN NOTE IMINARY ISSUE FOR I LATITUDE 35'08'55.53385"N, LONGITUDE 11410'30.72281"N {NAD '83} HEIGHT 2498.20458Iff (NAVO'88) # = STAIDCHRIG AT BOC (DULDESAC)

- = PROPERTY LINE

- = RIGHT OF WAY

- = EASEMENT LINE LATITUDE 35'08'22,70034'N, LONGITUDE 114'08'21'57240"W (NAD '83) HEIGHT 2582,46391HE (NAVD'88) = GRADE BREAK = CENTER LINE = EXISTING GRADE = FUTURE GRADE = RATE & DIRECTION OF SLOPE - EXISTING CONTOUR = DRANHAGE EASEMENT
- PUBLIC UTILITY EASEMENT
- PEDESTRIAH ACCESS EASEMENT
= COMMON ELEMENT = S/W RAMP = LOT NUMBER = EDGE OF PAVEMENT = FLOWUNE ELEVATION - CENTERLINE FINISHED GRADE ELEVATION TOP OF CURB ELEVATION CURB & GUTTER ("L" CURB TO "ROLL" CURB) Act office before your Overhead before P**P**24

PP24

B9 OF 69 SHEETS

SCI PROJECT#
18476

RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH

AREA 3 ENTRY, C.E. D 8' SEWER AND 48' STORM DRAIN - PLAN AND PROFILE



DITTE DO 10 DO	REV. NO.	DERONALDON	CHAMP EV	APPROVIAL.	DATE	al .
DATE D3-10-06						ıl
CHECKED BY SH\DB						1
DRAWN BY GA	_					1 (8
SCALE (V) 1" = 4"						
SCALE (H) 1"= 40"						
	_					_

42674 STEVEN A.